

SPECIFICATIONS

Type: Compact digital still camera with built-in flash, 2x optical zoom and 2.5x digital zoom, 5x combined zoom.

Image Capture Device: 2.0 M pixel, 1/2.7 inch charge coupled device (CCD).

Resolution (Recording Pixels): 640 x 480 pixels (Small), 1,024 x 768 (Medium), 1,600 x 1,200 (Large), Movie: 640 x 480, 320 x 240 or 160 x 120.

Sensitivity: Equivalent to ISO Auto/50/100/200/400.

Image Quality Modes: Normal, Fine, SuperFine.

File Format: Design rule for Camera File System, DPOF Version 1.1 (Direct Print Order Format).

Image Recording Format: Still Image: JPEG, Movie: AVI. EXIF 2.2 compliant.

Image Storage Capacity:

	Small/N	Small/F	Small/SF	Medium/N	Medium/F	Medium/SF
File Size	79KB	141KB	208KB	155KB	294KB	450KB
FC-8M	87	50	35	46	24	16
FC-16M	172	99	70	92	49	32
FC-32M	353	206	143	189	102	67
FC-64M	707	415	288	379	205	135
FC-128M	1,417	831	577	760	412	271

	Large/N	Large/F	Large/SF	Movie (160x120)	Movie (320x240)	Movie (640x480)
File Size	302KB	611KB	957KB	130KB/sec.	380KB/sec.	900KB/sec.
FC-8M	24	11	7	48 sec.	18 sec.	6 sec.
FC-16M	48	24	15	97 sec.	36 sec.	13 sec.
FC-32M	99	49	31	198 sec.	75 sec.	27 sec.
FC-64M	200	100	64	399 sec.	152 sec.	56 sec.
FC-128M	401	200	128	799 sec.	305 sec.	113 sec.

Note: N=Normal F=Fine SF=SuperFine

Storage capacity varies depending on the scene or the subjects. This data is estimated from Canon's standard shooting conditions. Figures for Movie Mode represent total capacity of CompactFlash Card. Individual clips are limited to 4, 10 or 30 seconds.

Recording Media: CompactFlash™ (CF) Card, Type I.

Shooting Modes: Auto, Manual, Stitch Assist, Movie, Photo Effect (Vivid Color, Neutral Color, Low Sharpening, Sepia, Black & White), Continuous (Approx. 2.5 fps), Self-timer.

Playback Modes: Single, Index (9 thumbnails), Magnification (Approx. 2x to 10x) or Slide Show.

Interfaces: USB, AV Out (Video: NTSC or PAL selectable, Audio: monaural) and CF card slot (complied with CF Type I standard). Direct connection to Canon Card Photo Printer CP-10 and Card Photo Printer CP-100 with Cable DIF-200. Direct connection to S820D Photo Printer with Direct Interface Cable.

Lens: 5.4-10.8mm f/2.8-f/4.0 zoom lens (equivalent to 35-70mm in 35mm format).

Autofocus: Selectable 3 focusing points (AiAF) or 1 (Center 1-point) with AF lock.

Shutter Speed: 15-1/1,500 sec. Slow shutter operates with noise reduction.

Light Metering Method: Evaluative metering (linked with focusing point) or Spot metering.

Exposure Control: Program AE

Exposure Compensation: +/- 2.0 EV in 1/3-step increments.

Built-in Flash: Operation modes: Auto, Red-Eye Reduction Auto, On, Off, and Slow-Sync.

White Balance Control: TTL Auto White Balance, Pre-Set White Balance (Available settings: Daylight, Cloudy, Tungsten, Fluorescent, or Fluorescent H), and Custom White Balance.

Optical Viewfinder: Real-image optical zoom viewfinder, approx. 82% coverage.


LCD Monitor: 1.5 inch low temperature polycrystalline silicon TFT color LCD.

Power Sources: Lithium Ion Battery NB-1L, NB-1LH. AC Adapter Kit ACK500 (optional).

Dimensions: 3.4 x 2.2 x 1.1 in. / 87.0 x 57.0 x 26.7 mm (without protrusions).

Weight (w/o battery and CF card): 6.3 oz. / 180g.

All data are based on Canon's Standard Test Method. Subject to change without notice. Canon PowerShot and "are you digital yet?" are trademarks of Canon Inc. All other products and brand names are registered trademarks, trademarks, or service marks of their respective owners.



SUPPLIED ACCESSORIES

- | | |
|-----------------------------------|-----------------------------------|
| A. PowerShot S200 Body | F. Digital Camera Solution CD-ROM |
| B. Wrist Strap WS-110 | G. CompactFlash Card FC-8M |
| C. AV Cable AVC-DC200 | H. Lithium Ion Battery NB-1LH |
| D. USB Interface Cable IFC-200PCU | I. Battery Charger CB-2LS |
| E. ArcSoft Camera Suite CD-ROM | |

Canon KNOW HOW™

1-800-OK-CANON
www.powershot.com / www.usa.canon.com

Canon U.S.A., Inc.
One Canon Plaza, Lake Success, NY 11042, U.S.A.

Canon Canada Inc.
6390 Dixie Road, Mississauga, Ontario L5T 1P7, Canada

Canon Mexicana, S. DE R.L. DE C.V.
Periférico Sur No. 4124, 5ª y 6ª pisos,
Col. Ex-Rancho de Anzaldo, 01900 México, D.F.

Canon Latin America
703 Waterford Way, Suite 400, Miami, FL 33126, U.S.A.

Canon

PowerShot S200



are you digital yet?™

www.powershot.com

Stylish, light and powerful.

At just an inch thick and a mere 6.3 ounces, PowerShot S200 is the world's smallest camera in its class. Yet this tiny, stylish wonder sheathed in chrome and stainless steel is loaded with the power and sophisticated technology to let anyone create incredible digital images.

ENVIABLE IMAGE QUALITY

PowerShot S200 combines 2.0 megapixel resolution with world-famous Canon optics to deliver richly textured images bursting with



70mm*

luminescent color and lifelike detail.

Touch a button to activate the powerful **2x optical/5x combined digital zoom**. With quick, seamless telephoto action, the coin-sized lens puts you precisely where you want to be.

The high-tech, 3-point autofocus system instantly finds and correctly focuses your subject, even if it's not centered in the frame. Another setting offers single center point autofocus for breathtaking portraits and still life shots.



35mm*

* Approximately equivalent to 35-70mm in the traditional 35mm format.

2.0 MEGAPIXEL



2X OPTICAL ZOOM

Why wait for the perfect light? Whenever and wherever the great shots happen, this camera's intelligent Automatic Exposure system has you covered. Multiple White Balance settings (including auto and custom) accommodate any light temperature, and light sensitivity is now conveniently calibrated automatically, or to traditional ISO-speed equivalents of 50, 100, 200 and 400.

EASY BY DESIGN

PowerShot S200 was created to be easy for anyone to use, with quick, logical access to all controls, and one-touch buttons for features you use the most. Simple menus pop on the big, bright LCD screen, and a new switch takes

you instantly between still, movie and playback modes.



Now you can zoom your images all the way up to 10x when you're playing them back on the LCD screen. Take an immediate, close-up look at what you've captured by scrolling to any portion of the magnified shot.



10x Magnification

100-0001

21/22



03/05/2002 10:20

More features, more fun.

VERSATILE SHOOTING MODES

With PowerShot S200, you can shoot 30-second **movie clips complete with sound** right from your digital camera! Play them back immediately, jumping to the start or end point, and using convenient options like fast- or single-frame forward and reverse. Store and share your movie clips just as easily as you do your still images.

Now you can give each image its own creative impact, as you're shooting, simply by choosing an option in **Photo Effect mode**. Low Sharpening softens edges for a romantic glow. Vivid Color creates high-contrast, vibrantly dynamic

shots. Sepia delivers an instant historical feel. Neutral gives images a sophisticated subtle tone. Black & White is sharp and rich (and ideal for shooting text). You can even use these effects with your movie clips.

More modes help you achieve maximum success with every shot. **Stitch Assist** creates perfectly-aligned panoramas, **Landscape** optimizes sweeping scenery shots, **Macro** delivers every detail of your close-ups, and **Slow-sync** ensures that even your nighttime shots are properly exposed.




Landscape

HIGH-TECH FUNCTIONS

PowerShot S200's **Intelligent Orientation Sensor** actually knows whether your images were shot horizontally or vertically. The sensor adjusts AF, AE, and white balance accordingly and your images will be automatically rotated to the right position for viewing during playback.



Horizontal



Vertical

The camera's 5-mode flash includes automatic Red-Eye Reduction, eliminating this common problem before it even happens.



With Red-Eye Reduction



Without Red-Eye Reduction

The 2-speed self-timer offers a 10-second option to get yourself in the picture, and a 2-second option to counteract camera shake or the need for a tripod. And now you can return all settings to the default with a single touch, and read the LCD screen in any of twelve languages.

MANUAL

PHOTO EFFECT



MOVIE WITH SOUND

Complete Photo Solution.

CANON'S PRINT SOLUTION

Now you don't even need your computer to print. Just plug in your camera and print directly from a quality Canon printer. Compact and speedy, each delivers crisp resolution and radiant color reproduction. You'll control the printer right from the camera's LCD screen.

Card Photo Printer CP-10 creates the ultimate sharable print in a fun credit card size. **Card Photo Printer CP-100** produces versatile 4" x 6" prints. Both offer bordered, borderless or sticker options.

S820D Photo Printer prints direct in two ways: you can plug the camera into the printer, or simply insert a memory card. Creates gorgeous borderless prints in 4" x 6" or 8.5" x 11" sizes without a computer!

CONVENIENT ACCESSORIES

The camera is supplied with a simple plug-and-play USB cable to connect to your computer. Using other connectors, you can plug into a TV or other video device or plug into a Canon photo printer.

PowerShot S200 is compatible with CompactFlash™ Type I memory cards, popular storage that's widely available.

EASY SOFTWARE INCLUDED

Start enjoying the power of digital technology right away, with simple-to-use *ZoomBrowser EX 3.3* for Windows and *ImageBrowser 2.3* for Mac. Fine-tune color and contrast, crop your shots, create fun slide shows. Then click to share your creations with friends and family the world over via email or your web site.




PhotoRecord 1.4 helps you create dynamic layouts with text. Line up your panoramas perfectly with *PhotoStitch 3.1*. Turn your computer monitor into the viewfinder and control many camera functions right on screen with *RemoteCapture 2.4*.

With *ArcSoft VideoImpression*, you'll edit your movie clips with ease, and do the same with still images using *PhotoImpression* and *Apple QuickTime 5.0*.



Print Solution



Postcard Size (Approx. 4" x 6")

Credit Card Size (Approx. 2" x 3")

Optional Accessories



Waterproof Case WP-DC600
The optional waterproof case allows use down to 100 feet.

Soft Compact Case PSC-100

Car Battery Charger CBC-NB1

Battery Charger CB-2LS

Lithium Battery NB-1LH

AC Adapter Kit ACK500

Computer & TV

