

### THE MOST QUALIFIED INSPECTOR IN UTAH!

591 W. 760 North \* Orem, Utah 84057 \* 801-636-6816

www.THEHOME NSPECTOR.com




# RADON REPORT



### 1172 South 950 East - Springville, UT

The purpose of the radon screening is to provide a professional opinion of a structure's radon levels as of the date of screening; limited to the test conditions identified in this report.

**LIMITATIONS OF LIABILITY:** Our radon testing firm cannot be assured that the necessary conditions were maintained throughout the screening period. There can be uncertainty with any radon measurement due to statistical variations and other factors such as changes in the weather and operation of the dwelling. While we and our agents make every effort to maintain the highest possible quality control and include checks and verification steps in our procedures, we make NO WARRANTY OF ANY KIND, EXPRESSED OR IMPLIED, for the consequences of erroneous test results. Neither the radon testing firm nor our employees or agents shall be liable under any claim, charge or demand, whether in contract, tort, or otherwise, for any and all loss, cost charge, claim, demand, fee, expense or damage of any kind arising out of, connected with, resulting from, or sustained as a result of any radon test.





### **CLIENT & INSPECTION INFORMATION**

CLIENT'S NAME: Benjamin Marvin
DATE OF INSPECTION: 02/14/2025
START TIME: 2:00 PM
INSPECTION #: 21425B

INSPECTOR: Michael D. Leavitt - Master Inspector CLIENT'S AGENT: Kennen Pyne - Smart Moves Realty Inc.

Copyright: Michael Leavitt, 2025 RADON REPORT INSPECTION #21425B PAGE #1 of 5
This Confidential Report Prepared for the Exclusive Use of Benjamin Marvin. \* DO NOT DUPLICATE WITHOUT PERMISSION



### THE MOST QUALIFIED INSPECTOR IN UTAH!

591 W. 760 North \* Orem, Utah 84057 \* 801-636-6816





### **GENERAL INFORMATION**

### **SCREENING START INFORMATION**

START DATE: February 2, 2025.

8:52 AM. **START TIME:** 27 degrees. AMBIENT TEMPERATURE: **INSIDE TEMPERATURE:** 69 degrees. **WEATHER:** Sunny. **HOUSE OCCUPIED?** Yes. **PEOPLE PRESENT:** Owner.

### SCREENING STOP INFORMATION

February 14, 2025. STOP DATE:

STOP TIME: 4 PM. AMBIENT TEMPERATURE: 41 degrees. **INSIDE TEMPERATURE:** 68 degrees.

WEATHER: Overcast after snow and rain.

### **BUILDING CHARACTERISTICS:**

**ESTIMATED AGE OF HOUSE:** 1983.

**BUILDING TYPE:** Single Family Dwelling.

1 1/2. STORIES: **FOUNDATION STYLE:** Basement. Finished. **BASEMENT:** 

Poured concrete. **BASEMENT WALLS: HOUSE TIGHTNESS:** Moderately tight.

Yes. There is a thermostatically controlled attic fan that could depressurize the **ATTIC FANS:** 

attic cavity, but it was not in use during the test due to exterior cold

temperatures.

**JENN-AIRE** There is no Jenn-Aire style range in the kitchen.

No. The home does not use well water. **WELL WATER:** 

Forced air gas system. **HEATING SYSTEM:** 

Central air conditioning system. COOLING SYSTEM:

**FAN OPERATION:** The circulation fan was operated in the "Automatic" mode during the

**BASEMENT RETURN VENTS:** Yes. There are basement return air vents in use.

Copyright: Michael Leavitt, 2025 RADON REPORT INSPECTION #21425B



### THE MOST QUALIFIED INSPECTOR IN UTAH!

591 W. 760 North \* Orem, Utah 84057 \* 801-636-6816

www.THEHOME | NSPECTOR.com



## **CRM TEST & PROTOCOLS**

### **CONTINUOUS MONITOR TESTING:**

CONTINUOUS MONITOR: Sun Nuclear Continuous Radon Monitor Model 1028.

SERIAL #: #2 - 1010330002.

DATE OF LAST CALIBRATION: March 2024.

**EXPLANATION OF CRM DATA:** The measurement was performed using a Continuous Radon Monitor (CRM), and was performed in conformance with test protocols established by the US Environmental Protection Agency in the document entitled "Protocols for Radon and Radon Decay Product Measurements in Homes."

**TABULAR DATA:** This portion of the data provides numerical listing of the Radon gas measurements that were made throughout the measurement period.

**AVERAGE:** This portion of the data gives the average Radon gas concentration measured during the entire measurement period. This average is computed in two ways. The "Overall Average" is the average of all of the values listed in the Tabular Data. The "EPA Average" is the average of all of the values listed in the Tabular Data, except those values recorded in the first four hours of the measurement period. The "EPA Average" is computed in a manner consistent with the protocols cited in the "Protocols for Radon and Radon Decay Product Measurements in Homes."

**OTHER INFORMATION:** In the printout, the letter "P" or "M" may appear next to a given value. The "P" indicates that, during this measurement interval, the power was disconnected to the CRM. The "M" indicates that, during this measurement interval, the CRM was disturbed or moved.

**RESULTS:** The action level established by the US EPA and Surgeon General is 4 pCi/l. Results under the action level of 4 pCi/l are still considered a risk. Final test results averaging over 4 pCi/l are considered a risk that should be mitigated. Excessive radon levels is an indoor air quality issue related to cancer that can be improved with the addition of a radon mitigation system.

### RESULTS IN pCi/I:

OVERALL AVERAGE pCi/I: 2.5 pCi/I. EPA AVERAGE pCi/I: 2.5 pCi/I.

HOURLY READINGS: Date: 02/12/2025

**Counts Flags** Time pCi/l 09:52 1.2 10:52 6.2 11:52 2.9 12:52 4.1 13:52 2.5 14:52 7.0 15:52 5.0 16:52 4.6 17:52 5.4 18:52 2.1 19:52 2.5 20:52 7.5 21:52 5.0 М 22:52 2.9 23:52 8.0 Date: 02/13/2025 **Counts Flags** Time pCi/l 00:52 2.1 01:52 2.1 02:52 3.3

Copyright: Michael Leavitt, 2025 RADON REPORT INSPECTION #21425B PAGE #3 of 5
This Confidential Report Prepared for the Exclusive Use of Benjamin Marvin. \* DO NOT DUPLICATE WITHOUT PERMISSION



### THE MOST QUALIFIED INSPECTOR IN UTAH!

591 W. 760 North \* Orem, Utah 84057 \* 801-636-6816





```
03:52
       4.6
04:52
       3.7
05:52
       2.5
06:52
       2.5
07:52
       4.1
08:52
       2.1
09:52
       3.7
10:52
       1.7
11:52
       2.5
12:52
       1.7
13:52
       8.0
14:52
       1.7
15:52
       1.7
16:52
       0.4
17:52
       1.2
18:52
       0.4
19:52
       0.0
20:52
       0.4
21:52
       1.2
22:52
       0.4
               M
23:52
       0.4
Date:
        02/14/2025
Time
       Counts Flags
       pCi/l
00:52
       8.0
01:52
       0.4
02:52
       8.0
03:52
       8.0
04:52
       1.2
05:52
       1.2
06:52
       1.2
07:52
       2.5
08:52
       2.5
09:52
       1.7
10:52
      5.8
11:52
       5.4
12:52
       2.9
13:52
       2.9
14:52
            2.5.
```




### THE MOST QUALIFIED INSPECTOR IN UTAH!

591 W. 760 North \* Orem, Utah 84057 \* 801-636-6816

www.THEHOME NSPECTOR.com



**GRAPH:** 



### PROTOCOLS OBSERVED:

"CLOSED HOME" CONDITIONS: Yes. **CLOSED WINDOWS:** Yes. **CLOSED DOORS:** Yes.

**PLACEMENT CHOICE:** The Radon screening device was placed away from drafts & heat and 4" of

perimeter clearance..

LOCATION: Basement SE bedroom. I set the unit on top of a desk.

Sustained winds of over 30 MPH did not occur during the screening. WINDS:

**CERTIFICATION SEALS:** Certification seals were not used in the screening. **ACTIVE MONITORING:** Active monitoring was not used on the doors.

**MITIGATION SYSTEM:** There is no active Radon mitigation system installed in the home.

### **USEPA RECOMMENDATIONS:**

UNDER 4 pCi/l - The USEPA states that "EPA Average" results in this range **RECOMMENDATIONS:** 

(less than 4 pCi/l) are below the accepted risk threshold, but still pose a risk. The testing process was good and there is no need to conduct a follow-up test

at this time.

### REPORT PREPARED BY

**TESTING PROFESSIONAL:** 

February 15, 2024.

PREPARATION DATE: